

ComTel Broadcasting Solutions
 Украина, Киев 04107, Ул. Татарская 7, оф
 т: 238-68-45 , 537-64-31 (-32); ф: 537-64-20
 office@comtel.ua www.comtel.ua




COMTEL


СПЕЦИАЛЬНОЕ ПРЕДЛОЖЕНИЕ
 от 26.11.2016

* Доступное количество уточняйте

Наименование	Примечание	Спец цена \$ без НДС	* Кол-во по спец цене																																														
	<p style="text-align: center;">LG-2016 Range LED Lighting</p> <table border="1" data-bbox="693 706 1234 1031"> <tr> <td>Item No.</td> <td>27-097</td> <td>27-098</td> </tr> <tr> <td>Model</td> <td>LG-2016C</td> <td>LG-2016</td> </tr> <tr> <td>Power source</td> <td>24V DC 100-240V AC</td> <td>24V DC 100-240V AC</td> </tr> <tr> <td>Power</td> <td colspan="2">121W</td> </tr> <tr> <td>CRI</td> <td colspan="2">Ra>90</td> </tr> <tr> <td rowspan="5">Illumination (LM)</td> <td>11096</td> <td>12096</td> </tr> <tr> <td>17200</td> <td>18750</td> </tr> <tr> <td>5275</td> <td>5800</td> </tr> <tr> <td>2350</td> <td>2550</td> </tr> <tr> <td>1235</td> <td>1350</td> </tr> <tr> <td rowspan="2">Illumination (LUX)</td> <td>650</td> <td>750</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>Color Temperature</td> <td>Bi-color, stepless controll from 3200K to 5600K</td> <td>3200K / 5600K</td> </tr> <tr> <td>Brightness Control</td> <td colspan="2">Dimmer</td> </tr> <tr> <td>Configuration</td> <td>with diffuser, AC adapter</td> <td>with diffuser, and 3200K filter, AC adapter</td> </tr> <tr> <td>Dimension</td> <td colspan="2">56x52x8.4 cm</td> </tr> <tr> <td>Weight</td> <td colspan="2">About 3950g</td> </tr> </table>	Item No.	27-097	27-098	Model	LG-2016C	LG-2016	Power source	24V DC 100-240V AC	24V DC 100-240V AC	Power	121W		CRI	Ra>90		Illumination (LM)	11096	12096	17200	18750	5275	5800	2350	2550	1235	1350	Illumination (LUX)	650	750			Color Temperature	Bi-color , stepless controll from 3200K to 5600K	3200K / 5600K	Brightness Control	Dimmer		Configuration	with diffuser, AC adapter	with diffuser, and 3200K filter, AC adapter	Dimension	56x52x8.4 cm		Weight	About 3950g			
Item No.	27-097	27-098																																															
Model	LG-2016C	LG-2016																																															
Power source	24V DC 100-240V AC	24V DC 100-240V AC																																															
Power	121W																																																
CRI	Ra>90																																																
Illumination (LM)	11096	12096																																															
	17200	18750																																															
	5275	5800																																															
	2350	2550																																															
	1235	1350																																															
Illumination (LUX)	650	750																																															
Color Temperature	Bi-color , stepless controll from 3200K to 5600K	3200K / 5600K																																															
Brightness Control	Dimmer																																																
Configuration	with diffuser, AC adapter	with diffuser, and 3200K filter, AC adapter																																															
Dimension	56x52x8.4 cm																																																
Weight	About 3950g																																																
LG-2016C Світло	LED panel 56x52 cm, bi-color	380,00	1																																														
Carry bag for LG-600CSF Кофр	Кофр для LG-600CS	37,00	14																																														



LG-160S4KIT Комплект світла



Комплект из 4-х (круг) BI LED приборов, 23x6.5x4.5см, Sony NP-F, 3м/280lux

530,00

2

No.27-089-1
LG-B160C4 Kit

Contents:
04*LG-B160C LED light
01*handle
02*battery adapter
02*Battery box for 6pcs AA batteries
01*Carrying bag
04*filter sets
Total power:38.4W



LG-B160C4kit Комплект світла

Комплект из 4-х BI LED приборов, 15x10x4.5см, Sony NP-F, 3м/270lux

420,00

1

NG-L210 Штатив

Штатив для осв.прибора (аналог DST) 200см

36,00

27



31-008S

Model: NG-L210

Max. Height:200CM

Lowest Height:50CM